

Models: AFi-R, AFi-HD, AFi-P-HD, AFi-Rx3

Turbocharged 802.11ac Wi-Fi

Complete Home Wi-Fi System

Perfected User Experience



AMPLIFI


Overview

AmpliFi Routers and MeshPoints are designed to work in combination to eliminate any dead spots in your home. They utilize mesh technology to provide powerful wireless performance in an innovative and simple design. The Router features an intuitive touchscreen display and the MeshPoints display wireless signal performance.




Router





MeshPoint





Adjust the Antenna for optimal signal reception



MESH WI-FI SYSTEM

Model: AFi-HD

The AmpliFi HD (High Density) Mesh Wi-Fi System includes an AmpliFi Mesh Router and two wireless MeshPoints. It combines deployment flexibility and maximum Wi-Fi coverage for your home.



MESH ROUTER WI-FI SYSTEM

Model: AFi-Rx3

The AmpliFi HD (High Density) Mesh Router Wi-Fi system includes three Mesh Routers for Wi-Fi coverage throughout your home. Providing 15 total Ethernet ports for wired connections, the Mesh Router Wi-Fi System is ideal for multi-cablebox homes.



MESHPOINT

Model: AFi-P-HD

The AmpliFi HD (High Density) MeshPoint features an adjustable super antenna. It can be used to expand the coverage of an AmpliFi Mesh System or turn an existing router or Wi-Fi cablebox into a powerful mesh network.



MESH ROUTER

Model: AFi-R

The AmpliFi HD (High Density) Mesh Router takes advantage of AmpliFi's powerful performance and software features. Optionally, you can connect additional AmpliFi Mesh Routers or AmpliFi MeshPoints to expand range coverage.



Not Just a Wi-Fi Router, It's a Wi-Fi System

AmpliFi is more than a common home router: it's the ultimate Wi-Fi system. With turbocharged 802.11AC Wi-Fi, AmpliFi utilizes multiple self-configuring radios and advanced antenna technology to bring ubiquitous Wi-Fi coverage to any home.


System Specifications


| Max. TX Power | 26 dBm |
|---------------|-----------|
| Radios | 6 |
| MIMO Chains | 18 |
| Speed | 5.25 Gbps |


Supported Data Rates


| 802.11ac | 13 Mbps to 1300 Mbps (MCS0 - MCS9, VHT 20/40/80) |
|----------|--|
| 802.11n | 6.5 Mbps to 450 Mbps (MCS0 - MCS23, HT 20/40) |
| 802.11a | 6, 9, 12, 18, 24, 36, 48, 54 Mbps |
| 802.11b | 1, 2, 5.5, 11 Mbps |
| 802.11g | 6, 9, 12, 18, 24, 36, 48, 54 Mbps |

Wi-Fi System Usage Examples









Turn your existing router into a powerful mesh network by adding the AFi-P-HD MeshPoints.



Enjoy Amplifi's ease of use and power with the AFi-R for use in small homes and apartments.



Router Specifications

| Dimensions | 99.5 x 97.8 x 99.6 mm (3.91 x 3.85 x 3.92") |
|------------------------|--|
| Weight | 410 g (14.46 oz) |
| Max. TX Power | 26 dBm |
| Radios | 2 |
| MIMO Chains | 6 |
| Speed | 1750 Mbps |
| Networking Interface | Wi-Fi/Gigabit Ethernet (1) WAN, (4) LAN |
| Max. Power Consumption | 11W |
| ESD/EMP Protection | ± 24kV Air/Contact |
| Buttons | Reset |
| Antennas | (1) Dual-Band Antenna, Tri-Polarity |
| Display | 40.6 mm (1.6") Diagonal, 240 x 240, 212 ppi, G+F Touch, Full Color |
| Wi-Fi Standards | 802.11ac |
| Power Save | Supported |
| Wireless Security | WPA2-PSK AES/TKIP |
| Operating Temperature | 14 to 131° F (-10 to 55° C) |
| Operating Humidity | 5 to 95% Noncondensing |
| Certifications | FCC / CE / IC |

Supported Data Rates

| 802.11ac | 13 Mbps to 1300 Mbps (MCS0 - MCS9, VHT 20/40/80) |
|----------|--|
| 802.11n | 6.5 Mbps to 450 Mbps (MCS0 - MCS23, HT 20/40) |
| 802.11a | 6, 9, 12, 18, 24, 36, 48, 54 Mbps |
| 802.11b | 1, 2, 5.5, 11 Mbps |
| 802.11g | 6, 9, 12, 18, 24, 36, 48, 54 Mbps |



Wireless, Boosted


The AmpliFi MeshPoint features an adjustable Super Antenna and fits discreetly in any household, wherever dead spots need coverage. Add MeshPoints as needed to an AmpliFi network or turn an ordinary router into a powerful mesh network. Signal strength LEDs are integrated into the design to ensure the system is positioned for optimal performance.


MeshPoint Specifications

| Dimensions | 243.83 x 54 x 57.75 (9.60 x 2.13 x 2.27") |
|-----------------------|---|
| Weight | 224 g (7.90 oz) |
| Max. TX Power | 26 dBm |
| Radios | 2 |
| MIMO Chains | 6 |
| Speed | 1750 Mbps |
| ESD/EMP Protection | ± 24kV Air/Contact |
| Buttons | Reset |
| Antennas | (1) Dual-Band Antenna, Tri-Polarity |
| Wi-Fi Standards | 802.11ac |
| Power Save | Supported |
| Wireless Security | WPA2-PSK AES/TKIP |
| Operating Temperature | 14 to 131° F (-10 to 55° C) |
| Operating Humidity | 5 to 95% Noncondensing |
| Certifications | FCC/CE/IC |

Supported Data Rates

| 802.11ac | 13 Mbps to 1300 Mbps (MCS0 - MCS9, VHT 20/40/80) |
|----------|--|
| 802.11n | 6.5 Mbps to 450 Mbps (MCS0 - MCS23, HT 20/40) |
| 802.11a | 6, 9, 12, 18, 24, 36, 48, 54 Mbps |
| 802.11b | 1, 2, 5.5, 11 Mbps |
| 802.11g | 6, 9, 12, 18, 24, 36, 48, 54 Mbps |





Guest Access Simplified

AmpliFi utilizes an open time window concept to allow instant guest access without the security compromise and inconvenience of password sharing.



24/7 Live Global Chat Support

24/7 Live Global Chat Support within the AmpliFi app and also online at help.amplifi.com

