









accessory guide







Indoor AP Accessories	Compatible Products	Description	Picture	Kit Contents
902-0120-0000	<ul style="list-style-type: none"> • ZoneFlex R710 • ZoneFlex R700* • ZoneFlex R600* • ZoneFlex R500* * fits AP, but does not support padlock security	Multipurpose mounting bracket for indoor AP's supports mounting to hard wall, ceiling, pole or truss. Supports padlock security with ZoneFlex R710		(1) Sheet metal mounting bracket (2) #6 wood screws & anchors
902-0100-0000	<ul style="list-style-type: none"> • ZoneFlex 7982 • ZoneFlex R700 	Multipurpose mounting bracket for 7982 supports mounting to hard wall, ceiling, electrical outlet box, pole or truss. Supports physical security with padlock or security Torx.		(1) Accessory mounting bracket with security options (1) Torx screw (4) Wood screws (2) Pipe clamps
902-0108-0000	<ul style="list-style-type: none"> • ZoneFlex 7352 • ZoneFlex 7372 • ZoneFlex 7372-E • ZoneFlex R500 • ZoneFlex R600 	Multipurpose mounting bracket for 7352 and 7372 models. Supports mounting to hard wall, ceiling, electrical outlet box, pole or truss. Supports physical security with padlock or security Torx.		(1) Accessory mounting bracket with security options (1) Torx screw (4) Wood screws (1) Pipe clamp
902-0110-0000	<ul style="list-style-type: none"> • ZoneFlex 7982 • ZoneFlex 7352 • ZoneFlex 7372 	Acoustic ceiling rail clips for narrow T-bar. Converts in-box mounting hardware in supported APs for mounting to 9/16" ceiling rail.		(10) Narrow acoustic ceiling rail clips to support 5 APs
902-0119-0000	<ul style="list-style-type: none"> • ZoneFlex H500 	Used to mount ZoneFlex H500 Wall Switch AP to locations where there is no wall box present for mounting. Note, this bracket is not required for standard wall box mounting		(1) Plastic bracket (2) Torx screws




accessory guide



Indoor AP Accessories	Compatible Products	Description	Picture	Kit Contents
902-0111-0000	<ul style="list-style-type: none"> ZoneFlex 7055 	<p>Accessory bracket for off-centered mounting of the 7055 to electrical outlet boxes. Allows mounting the AP without interfering with adjacent outlets. Also used for 7055 mounting if there is no wall cavity.</p>		<p>(1) Adjacent wall plate mounting bracket</p>
902-0118-0000	<ul style="list-style-type: none"> ZoneFlex R300 	<p>Secure mounting bracket for the R300 access point. Mounts to hard wall or ceiling, or pole / truss with user supplied straps. Supports physical security with Torx or Phillips screw.</p>		<p>(1) Secure mounting bracket (2) #8 screws and wall anchors (1) #4 Torx screw for physical security (1) #4 Phillips screw for physical security</p>
902-0166-0000	<ul style="list-style-type: none"> ZoneFlex 7341 ZoneFlex 7343 ZoneFlex 7363 ZoneFlex 2741 ZoneFlex 7762 	<p>Multipurpose mounting bracket. Supports mounting to hard wall, ceiling, acoustic ceiling. Supports physical security with padlock or security screw.</p>		<p>(1) Wall/ceiling bracket (1) Unit bracket (2) Acoustical ceiling T-bar clip, 15/16" T-bar, 10mm M4 stud (2) M4 pal nuts (4) 4-16 pan-head tapping screw (4) M4 x 6mm L pan-head Phillips screws + flat washers + spring washers (1) M3x 6mm L thumb/Phillips screw (1) #4-20 x 0.75 L pan-head, thread-forming screw (4) M4 plastic wall anchors</p>

Outdoor AP Accessories	Compatible Products	Description	Picture	Kit Contents
<p>902-0165-0000</p>	<ul style="list-style-type: none"> ZoneFlex 7762 ZoneFlex 7762-S ZoneFlex 7762-T 	<p>7762-series outdoor AP mounting bracket (stainless steel), 90-degree elevation adjustment range. Mounting support for solid wall or ceiling, vertical or horizontal pole 1" to 4" in diameter using enclosed mounting hardware. Pole diameter greater than 4" can be supported with user-supplied clamps.</p>		<ul style="list-style-type: none"> (1) Static bracket part: stainless steel (1) Dynamics bracket part: stainless steel (4) M6 x 12mm L hex bolts + flat washers + spring washers (4) M4 x 8mm L pan-head Phillips machine screws + flat washers + spring washers (4) 0.25-20 thread 47mm L wall anchors + nuts (2) 2.5" diameter 0.5" wide steel clamps
<p>902-0182-0003</p>	<ul style="list-style-type: none"> ZoneFlex 7762 Series ZoneFlex 7781CM ZoneFlex 7782 Series ZoneFlex 7762-AC ZoneFlex 7762-S-AC ZoneFlex T300 ZoneFlex T301s ZoneFlex T301n ZoneFlex T300e 	<p>Outdoor AP mounting bracket (weatherized aluminum), 180-degree adjustment range in both azimuth and elevation. Mounting support for solid wall or ceiling, vertical or horizontal pole 1" to 4" in diameter using enclosed mounting hardware. Pole diameter greater than 4" can be supported with user-supplied clamps.</p>		<ul style="list-style-type: none"> (1) Mounting bracket: weatherized aluminum (1) Hanger mount: weatherized aluminum (1) Extension: weatherized aluminum (2) M8 hex bolts with spring locks & washers (4) SAE32 steel clamps, 2.5" (4) M4 x 12mm machine screws with spring locks & washers (4) 0.25-28 x 0.625" machine screws with spring locks & washers
<p>902-0168-0000</p>	<ul style="list-style-type: none"> ZoneFlex 7731 	<p>Point-to-point, point-to-multipoint outdoor AP mounting bracket, 30-degree elevation adjustment range. Mounting support for solid wall or ceiling, vertical or horizontal pole 1" to 4" in diameter using enclosed mounting hardware. Pole diameter greater than 4" can be supported with user-supplied clamps.</p>		<ul style="list-style-type: none"> (1) Static bracket part: stainless steel (1) Dynamic bracket part: stainless steel (5) M4 x 5.7mm L pan-head Phillips machine screws + flat washers + spring washers (2) 0.25-20 thread 47mm L wall anchors + nuts (2) M6 x 12mm L hex bolts + flat washers + spring washers (2) M6 x 12 mm L thumb screws (2) 2.5" diameter 0.5" wide steel clamps

Outdoor AP Accessories	Compatible Products	Description	Picture	Kit Contents
<p>902-0101-0000</p>	<ul style="list-style-type: none"> • Fiber Node • ZoneFlex 7781CM • ZoneFlex 7762 Series • ZoneFlex 7782 Series • ZoneFlex 7762-AC • ZoneFlex 7761-CM 	<p>Outdoor product mounting bracket for overhead strand. Features a shroud to shield the mounted product from direct sunlight and falling debris as well as external antenna mounting.</p>		<ul style="list-style-type: none"> (1) Strand bracket: coated aluminum (2) Strand clamps (4) 0.25-20 galvanized steel bolts + hex nuts + flat washers + spring washers (1) Spacer block (8) 0.25-28 stainless steel bolt + flat washers + spring washers (4) M4 stainless steel bolt + flat washers + spring washers

Electrical Accessories	Compatible Products	Description	Picture (may differ by geography)	Kit Contents
<p>902-0103-0000</p>	<ul style="list-style-type: none"> • ZoneFlex 7761-CM 	<p>Push button reset cable for 7761-CM. Mates with the 4-pin DC input of the 7761-CM and provides a push-button for reset and a barrel for user-supplied 12V DC power</p>		<p>(1) Cable assembly</p> <ul style="list-style-type: none"> • 4-pin female cable connector compatible with 7761-CM DC input • Reset button • Barrel for 12VDC power — accepts female plugs 2.5 x 5.5 mm (ID x OD) • Cable length 1m
<p>902-0162-XX00</p>	<ul style="list-style-type: none"> • ZoneFlex 7731 • ZoneFlex 7982 • ZoneFlex R700 • ZoneFlex R600 • ZoneFlex R500 • ZoneFlex R300 • ZoneFlex 7352 • ZoneFlex 7372 • ZoneFlex 7372-E • ZoneFlex 7321 • ZoneFlex T300 • ZoneFlex T301s • ZoneFlex T301n • ZoneFlex T300e 	<p>Regional PoE Adapter (10/100/1000Mbps)</p>		<p>(Qty: 1) PoE module (10/100/1000 Mbps)</p> <ul style="list-style-type: none"> • LAN port: RJ-45 jack • PoE port: RJ-45 jack, 24 Watts PoE • AC input: 100-240 VAC ~ 50/60 Hz <p>(Qty: 1) AC cable (length 2ft / 0.6m)</p>
<p>902-1169-xx00</p>	<p>ZoneFlex R710</p>	<p>Regional Power Adapter</p>		<p>(1) Country-specific power cord, IEC, 6ft</p> <p>(1) Power adapter</p> <ul style="list-style-type: none"> • Input: 100-240VAC ~ 50/60Hz 0.6A • Output: 12VDC 2.0A • AC plug: country-specific • DC plug: Right-angle, 2.5 x 5.5 x 10 mm (ID x OD x L) female, positive center • DC cable length 1.5m

accessory guide









Electrical Accessories	Compatible Products	Description	Picture (may differ by geography)	Kit Contents
902-0169-XX00	<ul style="list-style-type: none"> • ZoneFlex 7982 • ZoneFlex R700 	Regional Power Adapter		(Qty: 1) Country-specific power adapter — right angle plug <ul style="list-style-type: none"> • Input: 100-240VAC ~ 50/60Hz 0.6A • Output: 12VDC 1.5A • AC plug: country-specific • DC plug: Right-angle, 2.5 x 5.5 x 9.5 mm (ID x OD x L) female, positive center • DC cable length 1.8m
902-0170-XX00	<ul style="list-style-type: none"> • ZoneFlex 7025 • ZoneFlex 7055 	Regional Power Adapter		(1) Country-specific power cord, IEC, 6ft (1) Power adapter <ul style="list-style-type: none"> • Input: 100-240VAC ~ 50/60Hz 0.8A • Output: 48VDC 0.68A • DC plug: 0.7 x 2.35 x 13 mm (ID x OD x L) female, positive center • DC cable length 1.5m
902-0173-XX00	<ul style="list-style-type: none"> • ZoneFlex 7321 • ZoneFlex 7372 • ZoneFlex 7352 • ZoneFlex 7372-E • ZoneFlex R300 • ZoneFlex R500 • ZoneFlex R600 	Regional Power Adapters		(1) Country-specific power adapter — right angle plug <ul style="list-style-type: none"> • Input: 100-240VAC ~ 50/60Hz 0.4A • Output: 12VDC 1.0A • AC plug: country-specific • DC plug: Right-angle, 2.1 x 5.5 x 9.5 mm (ID x OD x L) female, positive center • DC cable length 1.8m
902-0174-XX00	<ul style="list-style-type: none"> • ZoneDirector 5000 • SmartCell Gateway 200 	Regional IEC Power Chord for ZD5000 and SCG 200 Qty 1, MOQ 10		(1) Country-specific power cord, IEC, 6ft
902-0175-DC00	<ul style="list-style-type: none"> • ZoneDirector 5000 	Spare DC Power Supply for ZD5000		(1) DC power supply

accessory guide



Electrical Accessories	Compatible Products	Description	Picture (may differ by geography)	Kit Contents
902-0176-0000	<ul style="list-style-type: none"> ZoneDirector 5000 	Spare Fan Set for ZD5000 (6 fans)		(2) 60mm fans (4) 80mm assembly fans Finger guard included
902-0179-AC00	<ul style="list-style-type: none"> ZoneDirector 5000 	Spare AC Power Supply for ZD5000 (use with 902-0174-XX00 Power Cord)		(1) AC power supply
902-0180-XX00	<ul style="list-style-type: none"> ZoneFlex 7762 ZoneFlex 7762-S ZoneFlex 7762-T ZoneFlex 7782 Series 	Power-over-Ethernet (PoE) adapter for products with 10/100/1000-BaseT PoE inputs. Indoor-rated. Supports power up to 60W		(1) Country-specific power cord, IEC, 6ft (1) PoE module (10/100/1000Mbps) <ul style="list-style-type: none"> Input: 100-240VAC ~ 50/60Hz 1.0A Output: 48VDC 1250mA (60W) Data port: RJ-45 jack PoE/data port: RJ-45 jack Dimensions 123 x 61 x 40 mm
902-0183-0000	<ul style="list-style-type: none"> ZoneFlex 7782 ZoneFlex 7781CM ZoneFlex 7762-AC ZoneFlex 7762-S-AC 	Spare cable gland for weatherizing the RJ-45 ports on outdoor APs		(1) weatherizing cable gland
902-0185-0000	<ul style="list-style-type: none"> ZoneFlex 7762-AC ZoneFlex 7782 Series 	Spare Weatherized AC Connector for 7762-AC; contains 4-pin AC connector		(1) 4-pin female cable connector <ul style="list-style-type: none"> strain relief with clamping ring compatible with cable diameter 6-12.5mm

Fiber Accessories	Compatible Products	Description	Picture	Kit Contents
<p>902-0200-0000</p>	<ul style="list-style-type: none"> • ZoneFlex 7762 Series • ZoneFlex 7782 Series • ZoneFlex 7761-CM • ZoneFlex 7781CM 	<p>Weather tight Fiber Node Enclosure Kit and mounting bracket</p>		<p>(1) IP-67 Fiber Node enclosure with fiber spools</p> <p>(1) Mounting kit includes:</p> <ul style="list-style-type: none"> • (1) mounting base • (1) extension arm • (1) dual-side adapter bracket • (2) device mounting brackets • (4) 23mm M6 x 1 stainless steel captive socket cap screws • (4) .250-28 stainless steel flathead Phillips head screws • (2) sets stainless steel 40mm M8 x 1.25mm bolts and washers • (4) stainless steel pipe clamps 12.7mm wide x 63.5mm diameter <p>(1) Cable shield bond</p> <p>(2) Weatherized cable glands</p> <p>(2) Optical mating sleeves for SC/UPC (duplex single and multi-mode)</p> <p>(6) Nylon cable ties</p>
<p>902-0201-0000</p>	<ul style="list-style-type: none"> • ZoneFlex 7762 Series • ZoneFlex 7782 Series • ZoneFlex 7761-CM • ZoneFlex 7781CM 	<p>Managed industrial media converter kit for Fiber Node</p>		<p>(1) Fiber to Gigabit Ethernet media converter</p> <p>(1) Gigabit PoE splitter</p> <p>(1) Mounting cradle</p> <p>(2) Cat6 outdoor rated Ethernet cables (381mm length)</p>
<p>902-0202-0000</p>	<ul style="list-style-type: none"> • ZoneFlex 7762 Series • ZoneFlex 7782 Series • ZoneFlex 7761-CM • ZoneFlex 7781CM 	<p>EPON kit for Fiber Node</p>		<p>(1) EPON stick — pluggable SFP</p> <p>(1) Patch cable singlemode simplex SC/PC 203mm</p>

Fiber Accessories	Compatible Products	Description	Picture	Kit Contents
902-0202-1000	<ul style="list-style-type: none"> • ZoneFlex 7762 Series • ZoneFlex 7782 Series • ZoneFlex 7761-CM • ZoneFlex 7781CM 	Complete Fiber Node Kit (EPON)		(1) 902-0200-0000 Kit (1) 902-0201-0000 Kit (1) 902-0202-0000 Kit
902-0203-0000	<ul style="list-style-type: none"> • ZoneFlex 7762 Series • ZoneFlex 7782 Series • ZoneFlex 7761-CM • ZoneFlex 7781CM 	1000Base-LX kit for Fiber Node		(1) Pluggable SFP transceiver — 1000Base-LX (1) Patch cable single mode duplex LC-LC 203mm
902-0203-1000	<ul style="list-style-type: none"> • ZoneFlex 7762 Series • ZoneFlex 7782 Series • ZoneFlex 7761-CM • ZoneFlex 7781CM 	Complete Fiber Node Kit (1000Base-LX)		(1) 902-0200-0000 Kit (1) 902-0201-0000 Kit (1) 902-0203-0000 Kit